

intAct Test-Power

Test equipment



intAct
Battery-Power

intAct Test-Power

Test equipment

The new BRT-12 battery-changing device

A simple solution to problems encountered when changing car batteries. Changing batteries has become more difficult because nowadays, batteries are more tightly integrated into the vehicle management system. To meet the needs of customers, many manufacturers of diagnosis devices have developed software updates to enable users to replace and handle the new generation of batteries. Smaller

workshops without diagnosis devices require support when changing batteries for vehicles in which the vehicle management system needs to be reset. To meet this need, and for larger workshops that require more of these devices, we now have the BRT-12 in our product range – an easy to use and cost-effective battery-changing device.

6 Volt + 12 Volt + 24 Volt test equipment

Type	Volt	Ampere	Scope	Length mm	Width mm	Height mm
CBT12XS	12	185 - 1250 A (EN)	DIN / SAE / EN	180	90	40
BT701-747	12	10 - 1250 A (EN)	DIN / SAE / EN	120	70	40
ACCUMETER-S500-D	12	135 - 855 A (EN)	DIN / SAE / EN	365	230	210
OCV12-24	12 / 24	Voltmeter	DIN / SAE / EN	100	50	20

Product line: 6 volt / 12 volt / 24 volt test equipment

Model: Reverse battery protected – short circuit-proof – overload protected

Battery types: Lead/acid batteries, gel batteries, AGM batteries, SLA batteries

Test standards: DIN / SAE / EN

Properties:

CBT12XS:

- > automated test sequence
- > result shown on an LCD display
- > testing of 12 volt batteries
- > testing of motorcycle batteries possible

BT 701 | 747:

- > intuitive menu management
- > automated test sequence
- > result shown on an LCD display
- testing of 12 volt batteries
- > Charging system check (12 + 24 V)
- > testing of motorcycle batteries possible
- > print-out of the test result by means integrated thermal printer

ACCUMETER

S500-D:

- > intuitive menu management
- > automated test sequence
- > testing of 12 volt batteries
- > testing of motorcycle batteries possible
- > print-out of the test result by means integrated thermal printer

OCV 12/24:

- > easy testing
- > voltmeter
- > reverse battery protected
- > overvoltage protection
- > testing of 12 volt / 24 volt batteries

Accessories:

BT 701 | 747:

- > 75 cm cable + battery tongs
- > integrated thermal printer
- > 1 replacement printer roll

OCV 12/24:

- > cable + battery tongs + plug-in contac

Use: Passenger cars – trucks – agricultural machinery – tractors – buses – construction equipment

Battery-changing device

Type	Scope
BRT-12	Latest generation of vehicles

Product line: Battery-changing device BRT-12

- Properties:**
- > Simple handling
 - > Only a small amount of time required
 - > Suitable for all brands of battery
 - > An excellent price-performance ratio

Accessories: Case

Use: Passenger cars – latest generation of vehicles:
VW, Audi, BMW, Mercedes, Skoda