

intAct Traktion-Power

Traction batteries | Motive Power
Sealed lead/acid block battery



intAct
Battery-Power

intAct Traktion-Power Pro

Traction batteries | Motive Power
Sealed lead/acid block battery

Thanks to their excellent high-voltage properties, the batteries of the intAct Traktion-Power series are particularly suitable for mobile lifting platforms, cleaning equipment, recreational use and many other traction applications. intAct Traktion-Power batteries are impressive with their excellent

price/performance ratio. Reinforced specially insulated grid plates with high mass utilisation allow maximum capacity reserves. As your partner for system solutions, we naturally offer the suitable chargers for recharging the sealed lead/acid batteries.



Connectors LPT



Connectors DT



Connectors UT



Connectors A

Traktion-Power



Traktion-Power Pro



intAct Traktion-Power										
Battery	Volt	Capacity	Length mm	Width mm	Height mm	Position of terminal	Terminal	Hold down	GUG	TV
91801	6	180 AH (c5)	244	190	275	0	A			
95406	12	40 AH (c5)	210	175	190	0	A	B3		
95502	12	50 AH (c5)	246	175	190	0	A	B3		
95551	12	55 AH (c5)	260	175	225	0	A	B7		
95602	12	60 AH (c5)	278	175	190	0	A	B3		
95803	12	80 AH (c5)	353	175	190	0	A	B3		
95804	12	80 AH (c5)	349	175	239	0	A			
95805	12	80 AH (c5)	305	175	220	0	A	B1		
95902	12	90 AH (c5)	394	175	190	0	A	B3		
95950	12	95 AH (c5)	330	172	242	1	DT			
96002	12	100 AH (c5)	348	175	284	0	A			
96151	12	115 AH (c5)	513	189	223	3	A			
96351	12	135 AH (c5)	513	223	223	3	A			
96801	12	180 AH (c5)	518	276	242	3	A			

Product line: intAct Traktion-Power, 12 V + 6 V traction batteries
Model: Block battery, grid plates, sealed, low maintenance
Status: GUG = wet charged
 TV = dry pre-charged
Quality: OEM quality
Purpose: Light to medium cyclic use

Number of cycles: 300 cycles according to IEC 254-1
Type of terminal: A = cone terminal according to DIN EN 60 095 T2
 DT = double terminal
Properties: Durable, safe and reliable
Use: Golf caddies – electric wheelchairs – mobile lifting platforms – car audio – recreational and sports vehicles

intAct Traktion-Power Pro

Battery	Volt	Capacity	Length mm	Width mm	Height mm	Position of terminal	Terminal	Hold down	GUG
PRO105-6	6	185 AH (c5), 225 AH (c20)	264	181	276	0	UT		
PRO125-6	6	195 AH (c5), 240 AH (c20)	264	181	276	0	UT		
PRO1275-12	12	120 AH(c5), 150 AH(c20)	329	181	276	0	LPT		
PRO145-6	6	215 AH(c5), 260 AH(c20)	264	181	295	0	UT		
PRO605-6	6	175 AH(c5), 210 AH(c20)	264	181	276	0	UT		
PRO8125-8	8	190 AH(c5), 240 AH(c20)	264	181	314	0	UT		
PRO875-8	8	145 AH (c5), 170 AH (c20)	264	181	276	0	UT		
PRO890-8	8	155 AH(c5), 190 AH(c20)	264	181	276	0	UT		

Product line: intAct Traktion-Power Pro, 6 V + 8 V + 12 V traction batteries

Model: Block battery, grid plates, sealed, low maintenance

Status: GUG = wet charged

Quality: OEM quality

Purpose: Medium to high cyclic use

Number of cycles: 700 cycles according to IEC 254-1

Type of terminal: UT + LPT

Properties: Durable, safe and reliable

Use: Golf caddies – electric wheelchairs – electric cars – mobile lifting platforms – car audio – recreational and sports vehicles – electric boats